

SAFETY DATA SHEET

according to the Hazardous Products Regulation (11 February 2015)

> **Applicable Law: Canada** Page 1 of 8

Version: 4021CA SDS Revision Date: 2023/11/09

SECTION 1. IDENTIFICATION				
Product name		: Bugs B Go	one	
Product code		•	G4CA, BBG55CA	
Product form		: Mixture.		
Recommended use	and restrictions		er, road bugs on all vehicle surfaces, organic bet and vinyl upholstery, coolers, kitchen sinks, ces.	
Manufacturer		P.O. Box 639	International, Inc. JSA 58502-0639 3	
Distributor		: Refer to Manufa	acturer	
Emergency Telepho	one Number	(352) 323-3500 (800) 535-5053 (Within Continental US) (8:30am Outside US) NOTE: INFOTRAC emergency nur al emergencies involving a spill, leak, fire, ex	mber is to be used only in the
SECTION 2. HA	ZARDS IDENTIFICAT	ION		
Classification of the	substance or mixture		Hazard statements (GHS CA)	
Classification (G	GHS CA)		H315 - Causes skin irritation.	
Skin Irrit. 2	H315 Causes skin i	ritation	H319 - Causes serious eye irritation.	
Eye Irrit. 2A	H319 Causes seriou	is eye irritation.		
			Precautionary statements (GHS CA)	
GHS Label elements, including precautionary statements GHS-CA labelling		statements	P264 - Wash hands, forearms and face	8,
			P280 - Wear protective gloves/protectiv	e clothing/eye protection/face
Hazard pictogram	ns (GHS CA)		protection. P302+P352 - IF ON SKIN: Wash with ple	enty of water
			P362+P364 - Take off contaminated clot P332+P313 - If skin irritation occurs: Ge P305+P351+P338 - IF IN EYES: Rin	hing and wash it before reuse. t medical advice/attention.

Signal Word (GHS CA)

Warning

-P351+P338 IF IN EYES: Rinse several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

Other Hazards

No additional information available.

Unknown Acute Toxicity

Not applicable.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures			
Name	Chemical Name/Synonyms	Product Identifier	% wt
Poly(oxy-1,2-ethanediyl), .alpha(4-nonylphenyl)- .omegahydroxy-, branched	4-Nonylphenol, branched, ethoxylated / Polyethylene glycol, mono(p-nonylphenyl) ether, branched / .alpha(4-Nonylphenyl)omegahydroxy poly(oxy-1,2- ethanediyl), branched / .alpha(p-Nonylphenyl)omega hydroxypoly(oxyethylene) branched / 4-Nonylphenol, branched and linear, ethoxylated / .alpha(4-Nonylphenyl)omegahydroxypoly(oxy-1,2-ethanediyl) branched / Ethoxylated branched and linear 4-nonylphenol / Poly (oxy-1,2- ethanediyl), alpha-(4-nonylphenyl)-omega-hydroxy-, branched / 4-Nonylphenol, branched, ethoxylated, 1 - 2.5 moles ethoxylated	CAS-No.: 127087-87-0	1 – 5*
Glycine, N,N'-1,2- ethanediylbis[N- (carboxymethyl)-, tetrasodium salt	Tetrasodium ethylenediaminetetraacetate / Ethylenediaminetetraacetic acid, tetrasodium salt / N,N'-1,2-Ethanediylbis(N-(carboxymethyl)glycine) tetrasodium salt / Tetrasodium ethylene diamine tetraacetate / edetate sodium / Edetate sodium / Tetrasodium edetate / EDTA, tetrasodium / Acetic acid, (ethylenedinitrilo) tetra-, tetrasodium salt / Tetrasodium salt of ethylenediaminetetraacetic acid / EDTA tetrasodium salt / TETRASODIUM EDTA / Glycine, N,N'-1,2-ethanediylbis[N-(carboxymethyl)-, tetrasodium salt / Glycine, N,N'-1,2-ethanediylbis[N-(carboxymethyl)-, sodium salt (1:4) / Tetrasodium	CAS-No.: 64-02-8	0.1 – 1



Version: 4021CA

BUGS B GONE

SAFETY DATA SHEET

according to the Hazardous Products Regulation

(11 February 2015)

Applicable Law: Canada Page 2 of 8

SDS Revision Date: 2023/11/09			Page 2 of 8
	2,2',2"',2"'-(ethylenedinitrilo) tetraacetate		
2-butoxyethanol	2-Butoxy-1-ethanol / Butoxyethanol / Ethanol, 2-butoxy- / Ethylene glycol monobutyl ether / Ethylene glycol n-butyl ether / Hydroxyethyl butyl ether / Ethylene glycol butyl ether / 2-Butoxyethan-1-ol / Ethylene glycol mono-n-butyl ether / 2-n-Butoxyethanol / Butyl glycol / BUTOXYETHANOL / EGBE / EGMBE / Butoxyethanol, 2- / Butyl Cellosolve / Monobutyl ether of ethyleneglycol	CAS-No.: 111-76-2	0.1 – 1
Potassium hydroxide	Caustic potash / Potassium hydroxide (K(OH)) / POTASSIUM HYDROXIDE	CAS-No.: 1310-58-3	0.1 – 1

*Actual concentration withheld as a trade secret.

SECTION 4. FIRST-AID MEASURES		
Description of first aid measures		
First-aid measures after ingestion	: Do NOT induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.	
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.	
First-aid measures after skin contact	: IF ON SKIN: Wash skin with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.	
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
Most important symptoms and effects, both acute	and delayed	
Symptoms/effects after ingestion	: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.	
Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.	
Symptoms/effects after skin contact	: Causes skin irritation. Symptoms may include redness, drying, defatting, and cracking of the skin.	
Symptoms/effects after eye contact	: Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.	
Immediate medical attention and an exist treatment		

Immediate medical attention and special treatment, if necessary

Other medical advice or treatment	: Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).	
SECTION 5. FIREFIGHTING MEASUR	ES	
Suitable extinguishing media	: Water spray. Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).	
Unsuitable extinguishing media	: Do not use a solid water stream as it may scatter and spread fire.	
Fire hazard	: Products of combustion may include, and are not limited to: oxides of carbon.	
Protection during firefighting	: Keep upwind of fire. Wear full firefighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).	
SECTION 6. ACCIDENTAL RELEASE MEASURES		
Personal precautions, protective equipment and emergency procedures		

General measures	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
Methods and material for containment and clean	ing up
For containment	: Absorb and/or contain spill with inert material (sand, vermiculite, or other appropriate material), then place in suitable container. Do not flush into surface water or sewer system. Wear recommended personal protective equipment.
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Provide ventilation.
Reference to other sections	: For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7. HANDLING AND STORAGE



Version: 4021CA

BUGS B GONE

SAFETY DATA SHEET

according to the Hazardous Products Regulation (11 February 2015)

Applicable Law: Canada

DS Revision Date: 2023/11/09	Page 3 of
Precautions for safe handling	: Read label before use. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.
Hygiene measures	: Wash contaminated clothing before reuse. Always wash hands after handling the product.
Conditions for safe storage, including any	y incompatibilities
Storage conditions	: Keep out of the reach of children. Store tightly closed in a dry, cool and well-ventilated place
SECTION 8. EXPOSURE CONTROL	DLS/PERSONAL PROTECTION
Control Parameters	
2-butoxyethanol (111-76-2)	
USA - ACGIH - Occupational Exposure Lir	nits
Local name	2-Butoxyethanol (EGBE)
ACGIH OEL TWA [ppm]	20 ppm
Remark (ACGIH)	TLV® Basis: Eye & URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknow Relevance to Humans); BEI
ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans
Regulatory reference	ACGIH 2020
USA - ACGIH - Biological Exposure Indice	
BEI	200 mg/g creatinine Parameter: Butoxyacetic acid with hydrolysis - Medium: urine - Samplir time: end of shift
Potassium hydroxide (1310-58-3)	
USA - ACGIH - Occupational Exposure Lir	nits
ACGIH OEL C	2 mg/m ³
Appropriate engineering controls	: Ensure good ventilation of the workstation. Provide readily accessible eye wash stations and safety showers.
Environmental exposure controls	: Avoid release to the environment.
Individual protection measures, such as p	ersonal protective equipment
Eye protection	: Wear eye/face protection.
Skin and body protection	: Wear suitable protective clothing.
Hand protection	: Wear suitable gloves resistant to chemical penetration.
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection
	must be based on known or anticipated exposure levels, the hazards of the product and th safe working limits of the selected respirator.
Other information	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink, o smoke when using this product.
SECTION 9. PHYSICAL AND CHE	
Physical state:	Flammability (solid, gas):
Liquid.	Not flammable.
Appearance: Clear liquid.	Explosive properties/explosive limits: Not explosive/No data available.
Colour: Colourless.	Vapour pressure: No data available.
Odour: Natural.	Relative vapour density at 20 °C: No data available.
Odour threshold: No data available.	Relative density: No data available.
	EN (English)

EN (English)



SDS Revision Date: 2023/11/09

Version: 4021CA

BUGS B GONE

SAFETY DATA SHEET

according to the Hazardous Products Regulation (11 February 2015)

Applicable Law: Canada Page 4 of 8

	pH:	Solubility:
	10.7	Soluble in water.
	Melting/Freezing point:	Partition coefficient: n-octanol/water:
	-2.22 °C / 28 °F	No data available.
	Boiling point:	Auto-ignition temperature:
	101.1 °C / 214 °F	No data available.
	Flash point:	Decomposition temperature:
	> 300 °C / 572 °F	No data available.
	Relative evaporation rate (butylacetate = 1):	Viscosity, kinematic:
	No data available.	No data available.
	Relative evaporation rate (ether=1):	Other information:
	No data available.	No additional information available.
_		
	Glycine, N,N'-1,2-ethanediylbis[N-(carboxymethy	/l)-, tetrasodium salt (64-02-8)
ſ	Flashpoint	> 100 °C (closed cup)
H		

I

riashpoint	
Auto-ignition temperature	> 100 °C
Vapour pressure	0 hPa Temp.: 25 °C
2-butoxyethanol (111-76-2)	
Boiling point	168.4 °C
Flashpoint	62 °C
Auto-ignition temperature	230 °C
Vapour pressure	0.8 hPa Temp.: 20 °C
Potassium hydroxide (1310-58-3)	
Boiling point	1320 °C
Vapour pressure	2.6664 – 3.9997 hPa (at 15.6 °C)
Poly(oxy-1,2-ethanediyl), .alpha(4-nonylp	henyl)omegahydroxy-, branched (127087-87-0)
Boiling point	188.6 °C Atm. press.: 977,7 hPa Decomposition: 'no' Remarks on result: 'other:'
Flashpoint	110.3 °C Atm. press.: 977,8 hPa
Vapour pressure	0.000000001 Pa Temp.: 25 °C Remarks on result: 'other:'

SECTION 10. STABILITY AND REACTIVITY	
Reactivity	: No dangerous reactions known under normal conditions of use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: Heat. Incompatible materials.
Incompatible materials	: Strong oxidizing agents.
Hazardous decomposition products	: May include and are not limited to: oxides of carbon.



SAFETY DATA SHEET

according to the Hazardous Products Regulation

(11 February 2015)

Version: 4021CA SDS Revision Date: 2023/11/09

Applicable Law: Canada Page 5 of 8

Hardening time

: No additional information available.

SECTION 11. TOXICOLOGICAL INFORMATION		
Information on toxicological effects		
Acute toxicity (oral)	: Not classified.	
Acute toxicity (dermal)	: Not classified.	
Acute toxicity (inhalation)	: Not classified.	
Glycine, N,N'-1,2-ethanediylbis[N-(carboxym	ethyl)-, tetrasodium salt (64-02-8)	
LD50 oral rat	1658 mg/kg	
LD50 oral	1210 mg/kg	
ATE CA (oral)	1210 mg/kg body weight	
2-butoxyethanol (111-76-2)		
LD50 oral rat	1746 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acut Oral Toxicity), 95% CL: 1322 - 2301	
LD50 oral	1414 mg/kg body weight Animal: guinea pig, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1020 - 1961	
LD50 dermal rabbit	435 mg/kg	
LC50 inhalation rat	2.35 mg/l	
LC50 inhalation rat	486 ppm/4h	
ATE CA (oral)	1414 mg/kg body weight	
ATE CA (Dermal)	435 mg/kg body weight	
ATE CA (Gases)	486 ppmv/4h	
ATE CA (vapours)	2.35 mg/l/4h	
ATE CA (dust,mist)	2.35 mg/l/4h	
Potassium hydroxide (1310-58-3)		
LD50 oral rat	284 mg/kg	
LD50 oral	284 mg/kg	
ATE CA (oral)	284 mg/kg body weight	
Poly(oxy-1,2-ethanediyl), .alpha(nonylphen	yl)omegahydroxy- (9016-45-9)	
LD50 oral rat	1310 mg/kg	
LD50 oral	657.2 mg/kg body weight Animal: rabbit, Animal sex: male, Guideline: other:, Remarks on results: other:, 95% CL: 265 - 1664.2	
LD50 dermal rabbit	5	
ATE CA (oral)	657.2 mg/kg body weight	
Skin corrosion/irritation	: Causes skin irritation. pH: 10.7	
Potassium hydroxide (1310-58-3)		
pH	13 (conc: 1 % (solution)	
Poly(oxy-1,2-ethanediyl), .alpha(4-nonylph	enyl)omegahydroxy-, branched (127087-87-0)	
рН	5.95 Temp.: 26 °C Concentration: 1 other:	
Serious eye damage/irritation	: Causes serious eye irritation pH: 10.7	
Potassium hydroxide (1310-58-3)		
рН	13 (conc: 1 % (solution)	
Poly(oxy-1,2-ethanediyl), .alpha(4-nonylph	enyl)omegahydroxy-, branched (127087-87-0)	
pH	5.95 Temp.: 26 °C Concentration: 1 other:	



(chronic)

BUGS B GONE

SAFETY DATA SHEET

according to the Hazardous Products Regulation

(11 February 2015)

	(TTTESTUARY 2013)
rsion: 4021CA S Revision Date: 2023/11/09	Applicable Law: Canac Page 6 of
Respiratory or skin sensitization	: Not classified.
Germ cell mutagenicity	: Not classified.
Carcinogenicity	: Not classified.
2-butoxyethanol (111-76-2)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified.
STOT-single exposure	: Not classified.
2-butoxyethanol (111-76-2)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified.
Glycine, N,N'-1,2-ethanediylbis[N-(carboxyme	byl)- tetrasodium salt (64-02-8)
LOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.015 mg/l air Animal: rat, Animal sex: female, Guideline: OECD Guideline 413 (Subchronic
,	Inhalation Toxicity: 90-Day Study)
NOAEL (oral, rat, 90 days)	≥ 500 mg/kg body weight Animal: rat
2-butoxyethanol (111-76-2)	·
NOAEL (dermal, rat/rabbit, 90 days)	> 150 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 411 (Subchronic Derma Toxicity: 90-Day Study), Remarks on results: other:
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified.
Glycine, N,N'-1,2-ethanediylbis[N-(carboxyme	hyl)-, tetrasodium salt (64-02-8)
Animal studies and expert judgment for classification 2-butoxyethanol (111-76-2)	False
• • •	
Animal studies and expert judgment for classification	False
Potassium hydroxide (1310-58-3)	
Animal studies and expert judgment for classification	False
Poly(oxy-1,2-ethanediyl), .alpha(4-nonylphen	yl)omegahydroxy-, branched (127087-87-0)
Animal studies and expert judgment for classification	False
Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	: Causes skin irritation. Symptoms may include redness, drying, defatting, and cracking of the skin.
Symptoms/effects after eye contact	: Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.
Symptoms/effects after ingestion	: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting, and diarrhea.
Other information	: Likely routes of exposure: ingestion, inhalation, skin, and eye.
SECTION 12. ECOLOGICAL INFOR	ΡΜΑΤΙΩΝ
Toxicity	
Ecology - general	: May cause long-term adverse effects in the aquatic environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified.
Hazardous to the aquatic environment, long-term (chronic)	: Not classified.

Glycine, N,N'-1,2-ethanediylbis[N-(carboxymethyl)-, tetrasodium salt (64-02-8)		
LC50 - Fish [1]	41 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	



SAFETY DATA SHEET

according to the Hazardous Products Regulation (11 February 2015)

Applicable Law: Canada Page 7 of 8

Version: 4021CA SDS Revision Date: 2023/11/09

LC50 - Fish [2]	59.8 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [1]	140 mg/l Test organisms (species): Daphnia magna
ErC50 algae	1.01 mg/l
EC50 72h - Algae [1]	1.01 mg/l (Species: Desmodesmus subspicatus)
NOEC chronic fish	≥ 25.7 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '35 d'
NOEC (chronic)	25 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
LOEC (chronic)	50 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
2-butoxyethanol (111-76-2)	
LC50 - Fish [1]	1474 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
LC50 - Fish [2]	2950 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)
EC50 - Crustacea [1]	≈ 1800 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	911 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	1840 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
NOEC chronic fish	> 100 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '21 d'
NOEC (chronic)	100 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
Poly(oxy-1,2-ethanediyl), .alpha(4-non	ylphenyl)omegahydroxy-, branched (127087-87-0)
LC50 - Fish [1]	84.7 mg/l Test organisms (species): Lepomis macrochirus
EC50 - Crustacea [1]	14 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	1948545 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 96h - Algae [1]	12 mg/l Test organisms (species): other:

Bugs B Gone (concentrate)	
Persistence and degradability	: Not established.
Bioaccumulative potential	
Bugs B Gone (concentrate)	
Bioaccumulative potential	: Not established.
2-butoxyethanol (111-76-2)	
Partition coefficient n-octanol/water	0.81 (at 25 °C)
Potassium hydroxide (1310-58-3)	
Partition coefficient n-octanol/water	0.65

: No additional information available.

Mobility in soil

Other adverse effects

Ozone

: Not classified.

Other information : No other effects known.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Product/packaging disposal recommendations

: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. The generation of waste should be avoided or minimized wherever possible.



SAFETY DATA SHEET

according to the Hazardous Products Regulation (11 February 2015)

> Applicable Law: Canada Page 8 of 8

Version: 4021CA SDS Revision Date: 2023/11/09

In accordance with TDG.	
UN number	: Not regulated for transport.
UN proper shipping name	
Proper shipping name (TDG)	: Not applicable.
Transport hazard class(es) (TDG)	: Not applicable.
Packing group (TDG)	: Not applicable.
Environmental hazards	
Other information	: No additional information available.
Special transport precautions	: Do not handle until all safety precautions have been read and understood.
TDG	No data available.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	: Not applicable.
SECTION 15. REGULATORY INFOR	MATION
National regulations	: All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories.
International regulations	: No additional information available.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.